



2014 GLOBAL PATIENT SURVEY



**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups



TABLE OF CONTENTS

SLIDE

CHAPTER

3	Demographics
12	Pre-Diagnosis
15	Being Diagnosed
32	Clinical Trials
41	Quality of Life
42	<ul style="list-style-type: none">• Barriers to Receiving Treatment
46	<ul style="list-style-type: none">• Impact on Sense of Well Being
113	<ul style="list-style-type: none">• Patient Experience Since Diagnosis
147	<ul style="list-style-type: none">• Communication With Doctor
151	<ul style="list-style-type: none">• Helpfulness of Doctor
155	<ul style="list-style-type: none">• Effectiveness of Support
183	<ul style="list-style-type: none">• Information Sources
185	Patient Organisations



DEMOGRAPHICS




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




DEMOGRAPHICS: Who Responded

Please describe your experience with lymphoma. (male vs female)



DEMOGRAPHICS: Who Responded

Please describe your experience with lymphoma. (by lymphoma sub-type)




DEMOGRAPHICS: Who Responded

Please describe your experience with lymphoma. (2014 vs 2012)



DEMOGRAPHICS: Age of Respondents

What is this patient's age? (by lymphoma sub-type)



DEMOGRAPHICS: Age and Gender of Respondents


What is this patient's age and gender?

Response Rates		
	No. of Respondents	Portion of Responses
Total	49	100%
Male	23	47%
Female	26	53%
10 to 17	2	4%
18 to 29	7	14%
30 to 45	26	53%
46 to 65	13	27%
Over 65	1	2%




DEMOGRAPHICS: Stage of Patient Journey

What stage best describes where the patient is in the lymphoma journey? (by lymphoma sub-type)




DEMOGRAPHICS: Lymphoma Sub-type

What sub-type of lymphoma does the patient have? (by age)



DEMOGRAPHICS: Lymphoma Sub-type

What sub-type of lymphoma does the patient have? (2014 vs 2012)





PRE-DIAGNOSIS




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




PRE-DIAGNOSIS : Understanding of Lymphoma

Please tell us how much the patient understood about lymphoma. (by lymphoma sub-type)



PRE-DIAGNOSIS : Understanding of Lymphoma

Please tell us how much the patient understood about lymphoma. (2014 vs 2012)





BEING DIAGNOSED




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




BEING DIAGNOSED: Initial Symptoms

Looking back did the patient have any of the following symptoms? (by lymphoma sub-type)




BEING DIAGNOSED: Initial Symptoms

Looking back did the patient have any of the following symptoms? (2014 vs 2012)




BEING DIAGNOSED: Initial Symptoms

Looking back did the patient have any of the following symptoms? (2014 vs 2012)




BEING DIAGNOSED: Initial Prompt for Physician Visit

What initially prompted the patient to go to the doctor? (by lymphoma sub-type)




BEING DIAGNOSED: Time To First Visit to Physician

When you look back what do you estimate the time was between first experiencing any symptoms and the patient's first visit to see a doctor? (by lymphoma sub-type)




BEING DIAGNOSED: Initial Diagnosis

What was the doctor's diagnosis for the patient's INITIAL symptoms? (by age)




BEING DIAGNOSED: Initial Diagnosis

What was the doctor's diagnosis for the patient's INITIAL symptoms? (2014 vs 2012)




BEING DIAGNOSED: Initial Diagnosis

What was the doctor's diagnosis for the patient's INITIAL symptoms? (2014 vs 2012)




BEING DIAGNOSED: Prescription for 1st Diagnosis

Was the patient given any medication for their initial diagnosis? (by lymphoma sub-type)




BEING DIAGNOSED: Prescription for 1st Diagnosis

Was the patient given any medication for their initial diagnosis? (by age)




BEING DIAGNOSED: Type of Physician at Initial Diagnosis

What type of doctor was the patient in the care of at initial diagnosis? (by lymphoma sub-type)




BEING DIAGNOSED: Type of Physician at Initial Diagnosis

What type of doctor was the patient in the care of at initial diagnosis? (2014 vs 2012)




BEING DIAGNOSED: Number of Diagnoses Received

How many diagnoses did the patient receive before being officially diagnosed with lymphoma? (by lymphoma sub-type)




BEING DIAGNOSED: Timing of Accurate Diagnosis

How long did it take for the patient to be ACCURATELY diagnosed with lymphoma? (by lymphoma sub-type)




BEING DIAGNOSED: Suspicion of Lymphoma

Did you or anyone in your support community EVER suspect the patient might have lymphoma prior to their official diagnosis? (by lymphoma sub-type)



BEING DIAGNOSED: Suspicion Discussed with Physician

Was this suspicion ever discussed with the doctor? (by lymphoma sub-type)





CLINICAL TRIALS




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




CLINICAL TRIALS: Knowledge at Diagnosis

At the time of diagnosis did the patient know what a clinical trial was? (by lymphoma sub-type)




CLINICAL TRIALS: Offering as Treatment Option

Has the patient ever been approached to participate in a clinical trial as an option to treatment? (by lymphoma sub-type)




CLINICAL TRIALS: Who Discussed Option With Patient

Who discussed this option of treatment with the patient? (by lymphoma sub-type)




CLINICAL TRIALS: Understanding Options

How well did the patient understand their option of undergoing a clinical trial? (by lymphoma sub-type)



CLINICAL TRIALS: Agreed to Participate

Of those that were asked did the patient participate? (by lymphoma sub-type)




CLINICAL TRIALS: If Asked, Would Patient Participate

What were the patient's reasons for not wanting to participate? (by lymphoma sub-type)




CLINICAL TRIALS: Reasons for Not Participating

Of those that were not asked how likely is it that the patient would agree to participate in a clinical trial if asked? (by journey stage)



CLINICAL TRIALS: Reasons for Not Participating

Of those that were not asked how likely is it that the patient would agree to participate in a clinical trial if asked? (by lymphoma sub-type)





QUALITY OF LIFE



**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups





QoL: Barriers to Receiving Treatment




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




QUALITY OF LIFE: Barriers to Receiving Treatment

What barriers has the patient experienced in receiving adequate lymphoma treatment? (male vs female)




QUALITY OF LIFE: Barriers to Receiving Treatment

What barriers has the patient experienced in receiving adequate lymphoma treatment? (by lymphoma sub-type)



QUALITY OF LIFE: Barriers to Receiving Treatment

What barriers has the patient experienced in receiving adequate lymphoma treatment? (by age)





QoL: Impact on Sense of Well Being




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Fatigue (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Fatigue (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Fatigue (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Hair loss (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Hair loss (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Hair loss (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Muscle weakness (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Muscle weakness (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Muscle weakness (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Trouble concentrating (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Trouble concentrating (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Trouble concentrating (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Sleeplessness (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Sleeplessness (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Sleeplessness (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Changes in taste and smell (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Changes in taste and smell (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Changes in taste and smell (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Bowel changes (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Bowel changes (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Bowel changes (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Aching joints (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Aching joints (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Aching joints (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Nausea and vomiting (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Nausea and vomiting (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Nausea and vomiting (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Problems fighting infections (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Problems fighting infections (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Problems fighting infections (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Memory loss (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Memory loss (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Memory loss (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Skin reactions (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Skin reactions (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Skin reactions (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Mucositis/mouth ulcers (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Mucositis/mouth ulcers (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Mucositis/mouth ulcers (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Loss of appetite (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Loss of appetite (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Loss of appetite (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Change in sexual function (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Change in sexual function (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Change in sexual function (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Weight loss (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Weight loss (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Weight loss (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Fluid retention (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Fluid retention (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Fluid retention (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Weight gain (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Weight gain (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Weight gain (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Loss of fertility (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Loss of fertility (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Loss of fertility (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Swelling of arms and legs (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Swelling of arms and legs (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Swelling of arms and legs (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Itching (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Itching (by lymphoma sub-type)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Itching (by age)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Burning (male vs female)




QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Burning (by lymphoma sub-type)



QUALITY OF LIFE: Impact on Sense of Well Being - Physical

Burning (by age)





QoL: Patient Experience Since Diagnosis




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




QUALITY OF LIFE: Patient Experience Since Diagnosis

Changes in relationships with loved ones, friends or co-workers/social life (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Changes in relationships with loved ones, friends or co-workers/social life (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Changes in relationships with loved ones, friends or co-workers/social life (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Stress related to financial issues (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Stress related to financial issues (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Stress related to financial issues (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Loss of self-esteem (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Loss of self-esteem (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Loss of self-esteem (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Concerns about body image/physical appearance changes (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Concerns about body image/physical appearance changes (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Concerns about body image/physical appearance changes (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Loss of employment/reduced employment (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Loss of employment/reduced employment (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Loss of employment/reduced employment (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Isolation (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Isolation (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Isolation (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Depression (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Depression (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Depression (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Difficulty on the job or in school (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Difficulty on the job or in school (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Difficulty on the job or in school (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Problems getting health or life insurance coverage (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Problems getting health or life insurance coverage (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Problems getting health or life insurance coverage (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Not understanding their options (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Not understanding their options (by lymphoma sub-type)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Not understanding their options (by age)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Difficulty working through the healthcare system effectively (male vs female)




QUALITY OF LIFE: Patient Experience Since Diagnosis

Difficulty working through the healthcare system effectively (by lymphoma sub-type)



QUALITY OF LIFE: Patient Experience Since Diagnosis

Difficulty working through the healthcare system effectively (by age)





QoL: Communication With Doctor




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




QUALITY OF LIFE: Communication With Doctor

Has the patient communicated any of this with the doctor? (male vs female)




QUALITY OF LIFE: Communication With Doctor

Has the patient communicated any of this with the doctor? (by lymphoma sub-type)



QUALITY OF LIFE: Communication With Doctor

Has the patient communicated any of this with the doctor? (by age)





QoL: Helpfulness of Doctor




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




QUALITY OF LIFE: Helpfulness of Doctor

Was the doctor able to help? (male vs female)




QUALITY OF LIFE: Helpfulness of Doctor

Was the doctor able to help? (by lymphoma sub-type)



QUALITY OF LIFE: Helpfulness of Doctor

Was the doctor able to help? (by age)





QoL: Effectiveness of Support




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups




QUALITY OF LIFE: Effectiveness of Support

Social worker (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Social worker (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Social worker (by age)




QUALITY OF LIFE: Effectiveness of Support

Referral to external support group e.g. patient support group, hospital support group (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Referral to external support group e.g. patient support group, hospital support group (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Referral to external support group e.g. patient support group, hospital support group (by age)




QUALITY OF LIFE: Effectiveness of Support

Patient organisation (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Patient organisation (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Patient organisation (by age)




QUALITY OF LIFE: Effectiveness of Support

Dietician/nutritionist (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Dietician/nutritionist (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Dietician/nutritionist (by age)




QUALITY OF LIFE: Effectiveness of Support

Counsellor/psychologist (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Counsellor/psychologist (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Counsellor/psychologist (by age)




QUALITY OF LIFE: Effectiveness of Support

Chaplain, church group (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Chaplain, church group (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Chaplain, church group (by age)




QUALITY OF LIFE: Effectiveness of Support

Physical therapy (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Physical therapy (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Physical therapy (by age)




QUALITY OF LIFE: Effectiveness of Support

Pain management (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Pain management (by lymphoma sub-type)




QUALITY OF LIFE: Effectiveness of Support

Pain management (by age)




QUALITY OF LIFE: Effectiveness of Support

Complementary therapist (male vs female)




QUALITY OF LIFE: Effectiveness of Support

Complementary therapist (by lymphoma sub-type)



QUALITY OF LIFE: Effectiveness of Support

Complementary therapist (by age)





QoL: Information Sources




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups



QUALITY OF LIFE: Information Sources

Who provided this service information to the patient? (by lymphoma sub-type)





PATIENT ORGANISATIONS




**LYMPHOMA
COALITION**

Worldwide Network of
Lymphoma Patient Groups



PATIENT ORGANISATIONS: Awareness

Please tell us which patient organisations the patient is aware of or have used in any way.



PATIENT ORGANISATIONS: Effectiveness

How helpful has Bulgarian Lymphoma Patients' Association been for each of the following services?

